§51.51

Site Permit Stage," or resolved in the Commission's early site permit environmental impact statement, but must contain, in addition to the environmental information and analyses otherwise required:

- (i) Information to demonstrate that the design of the facility falls within the site characteristics and design parameters specified in the early site permit:
- (ii) Information to resolve any significant environmental issue that was not resolved in the early site permit proceeding;
- (iii) Any new and significant information for issues related to the impacts of construction and operation of the facility that were resolved in the early site permit proceeding;
- (iv) A description of the process used to identify new and significant information regarding the NRC's conclusions in the early site permit environmental impact statement. The process must use a reasonable methodology for identifying such new and significant information: and
- (v) A demonstration that all environmental terms and conditions that have been included in the early site permit will be satisfied by the date of issuance of the combined license. Any terms or conditions of the early site permit that could not be met by the time of issuance of the combined license, must be set forth as terms or conditions of the combined license.
- (2) Application referencing standard design certification. If the combined license references a standard design certification, then the combined license environmental report may incorporate by reference the environmental assessment previously prepared by the NRC for the referenced design certification. If the design certification environmental assessment is referenced, then the combined license environmental report must contain information to demonstrate that the site characteristics for the combined license site fall within the site parameters in the design certification environmental assessment.

(3) Application referencing a manufactured reactor. If the combined license application proposes to use a manufactured reactor, then the combined license environmental report may incorporate by reference the environmental assessment previously prepared by the NRC for the underlying manufacturing license. If the manufacturing license environmental assessment is referenced, then the combined license environmental report must contain information to demonstrate that the site characteristics for the combined license site fall within the site parameters in the manufacturing license environmental assessment. The environmental report need not address the environmental impacts associated with manufacturing the reactor under the manufacturing license.

[72 FR 49511, Aug. 28, 2007]

§51.51 Uranium fuel cycle environmental data—Table S-3.

(a) Under §51.50, every environmental report prepared for the construction permit stage or early site permit stage or combined license stage of a lightwater-cooled nuclear power reactor, and submitted on or after September 4, 1979, shall take Table S-3, Table of Uranium Fuel Cycle Environmental Data, as the basis for evaluating the contribution of the environmental effects of uranium mining and milling, the production of uranium hexafluoride, isotopic enrichment, fuel fabrication, reprocessing of irradiated fuel, transportation of radioactive materials and management of low-level wastes and high-level wastes related to uranium fuel cycle activities to the environmental costs of licensing the nuclear power reactor. Table S-3 shall be included in the environmental report and may be supplemented by a discussion of the environmental significance of the data set forth in the table as weighed in the analysis for the proposed facility.

(b) Table S-3.

Nuclear Regulatory Commission

TABLE S-3—TABLE OF URANIUM FUEL CYCLE ENVIRONMENTAL DATA ¹
[Normalized to model LWR annual fuel requirement [WASH-1248] or reference reactor year [NUREG-0116]]
[See footnotes at end of this table]

[See footnotes at end of this table]			
Environmental considerations	Total	Maximum effect per annual fuel requirement or ref- erence reactor year of model 1,000 MWe LWR	
NATURAL RESOURCE USE			
Land (acres):			
Temporarily committed ²			
Disturbed area		Equivalent to a 110 MWe coal-fired power plant.	
Permanently committed		24amaioni to a 110 millo ocal moa ponol pianti	
Overburden moved (millions of MT)		Equivalent to 95 MWe coal-fired power plant.	
Water (millions of gallons): Discharged to air	160	=2 percent of model 1,000 MWe LWR with cooling tower.	
Discharged to water bodies Discharged to ground			
Total	11,377	<4 percent of model 1,000 MWe LWR with once-through	
		cooling.	
Fossil fuel:			
Electrical energy (thousands of MW-hour) Equivalent coal (thousands of MT)	323 118	<5 percent of model 1,000 MWe LWR output. Equivalent to the consumption of a 45 MWe coal-fired power plant.	
Natural gas (millions of scf)	135	<0.4 percent of model 1,000 MWe energy output.	
EFFLUENTS—CHEMICAL (MT)			
Gases (including entrainment): 3			
SO _x	4,400		
NO _X ⁴	1,190	Equivalent to emissions from 45 MWe coal-fired plant for a year.	
HydrocarbonsCO	14 29.6		
Particulates	1,154		
Other gases:	.,		
F	.67	Principally from UF ₆ production, enrichment, and reprocessing. Concentration within range of state standards—below level that has effects on human health.	
HCI	.014		
Liquids: SO-4	9.9	From enrichment fuel febrication and representing	
NO-3	25.8	From enrichment, fuel fabrication, and reprocessing steps. Components that constitute a potential for ad-	
Fluoride	12.9	verse environmental effect are present in dilute con-	
Ca++	5.4	centrations and receive additional dilution by receiving	
C1		bodies of water to levels below permissible standards.	
Na+ NH ₃		The constituents that require dilution and the flow of dilution water are: NH ₃ —600 cfs., NO ₃ —20 cfs., Fluo-	
Fe		ride—70 cfs.	
Tailings solutions (thousands of MT)	240	From mills only—no significant effluents to environment. Principally from mills—no significant effluents to environ-	
Effluents—Radiological (curies)		ment.	
Gases (including entrainment):			
Rn-222		Presently under reconsideration by the Commission.	
Ra-226			
Th-230 Uranium			
Tritium (thousands)			
C-14	24		
Kr-85 (thousands)			
Ru–106 I–129		Principally from fuel reprocessing plants.	
I–129			
Tc-99		Presently under consideration by the Commission.	
Fission products and transuranics	.203		
Liquids:			
Uranium and daughters	2.1	Principally from milling—included tailings liquor and returned to ground—no effluents; therefore, no effect on	
Ra-226	.0034	environment. From UF ₆ production.	
Th-230	.0015		

§51.52

TABLE S-3—TABLE OF URANIUM FUEL CYCLE ENVIRONMENTAL DATA 1—Continued [Normalized to model LWR annual fuel requirement [WASH-1248] or reference reactor year [NUREG-0116]] [See footnotes at end of this table]

Environmental considerations	Total	Maximum effect per annual fuel requirement or ref- erence reactor year of model 1,000 MWe LWR
Th-234	.01	From fuel fabrication plants—concentration 10 percent of 10 CFR 20 for total processing 26 annual fuel requirements for model LWR.
Fission and activation products	5.9×10 ⁻⁶	4
Other than high level (shallow)	11,300	9,100 Ci comes from low level reactor wastes and 1,500 Ci comes from reactor decontamination and decommissioning—buried at land burial facilities. 600 Ci comes from mills—included in tailings returned to ground. Approximately 60 Ci comes from conversion and spent fuel storage. No significant effluent to the environment.
TRU and HLW (deep)	1.1×10 ⁷	Buried at Federal Repository.
Effluents—thermal (billions of British thermal units) Transportation (person-rem):	4,063	<5 percent of model 1,000 MWe LWR.
Exposure of workers and general public	2.5	
Occupational exposure (person-rem)	22.6	From reprocessing and waste management.

[49 FR 9381, Mar. 12, 1984; 49 FR 10922, Mar. 23, 1984, as amended at 67 FR 77652, Dec. 19, 2002; 72 FR 49512, Aug. 28, 2007]

§51.52 Environmental effects of transportation of fuel and waste-Table

Under §51.50, every environmental report prepared for the construction permit stage or early site permit stage or combined license stage of a lightwater-cooled nuclear power reactor, and submitted after February 4, 1975, shall contain a statement concerning transportation of fuel and radioactive wastes to and from the reactor. That statement shall indicate that the reactor and this transportation either meet all of the conditions in paragraph (a) of this section or all of the conditions of paragraph (b) of this section.

- (a)(1) The reactor has a core thermal power level not exceeding 3,800 megawatts:
- (2) The reactor fuel is in the form of sintered uranium dioxide pellets hav-

ing a uranium-235 enrichment not exceeding 4% by weight, and the pellets are encapsulated in zircalov rods:

- (3) The average level of irradiation of the irradiated fuel from the reactor does not exceed 33,000 megawatt-days per metric ton, and no irradiated fuel assembly is shipped until at least 90 days after it is discharged from the reactor:
- (4) With the exception of irradiated fuel, all radioactive waste shipped from the reactor is packaged and in a solid
- (5) Unirradiated fuel is shipped to the reactor by truck: irradiated fuel is shipped from the reactor by truck, rail, or barge; and radioactive waste other than irradiated fuel is shipped from the reactor by truck or rail: and
- (6) The environmental impacts of transportation of fuel and waste to and

^{41.2} percent from natural gas use and process.